

# DISCUSSION GUIDE

**Please read the ENHERTU Medication Guide and use this Discussion Guide to help you talk with your healthcare team and get the information you need about HER2-low metastatic breast cancer and ENHERTU**

## What is ENHERTU?

ENHERTU is a prescription medicine used to treat adults who have:

- HER2-low breast cancer that cannot be removed by surgery or that has spread to other parts of your body (metastatic), and who have received a prior chemotherapy:
  - for metastatic disease, **or**
  - your disease has returned during or within 6 months of completing adjuvant chemotherapy (after surgery). Your healthcare provider will perform a test to make sure ENHERTU is right for you

It is not known if ENHERTU is safe and effective in children.

## IMPORTANT SAFETY INFORMATION

**What is the most important information I should know about ENHERTU?**

**ENHERTU can cause serious side effects, including: Lung problems that may be severe, life-threatening or that may lead to death.** If you develop lung problems your healthcare provider may treat you with corticosteroid medicines. Tell your healthcare provider right away if you get any of the following signs and symptoms: • Cough • Trouble breathing or shortness of breath • Fever • Other new or worsening breathing symptoms (e.g., chest tightness, wheezing)

**Please see additional Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).**

## Understanding HER2-low mBC

Learning about HER2-low metastatic breast cancer (mBC) and treatment options like ENHERTU may help you feel more informed about a new diagnosis and treatment.

Bring this Discussion Guide with you to appointments and use the sample questions to help you get more from conversations with your healthcare team.

### Questions



What is HER2-low mBC? How is it different from other HER2 statuses?



Can HR+ HER2-negative or triple-negative mBC also be HER2-low?



Does being diagnosed with HER2-low mBC give me another treatment option?

### Important Safety Information (cont'd)

**Low white blood cell counts (neutropenia).** Low white blood cell counts are common with ENHERTU and can sometimes be severe. Your healthcare provider will check your white blood cell counts before starting ENHERTU and before starting each dose. Tell your healthcare provider right away if you develop any signs or symptoms of an infection or have fever or chills during treatment with ENHERTU.

Please see additional Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including **Boxed WARNINGS**, and [click here for Medication Guide](#).

## Understanding HER2-low mBC (cont'd)



### **Already diagnosed with HER2-low mBC:**

How did you know that I have HER2-low mBC, and why did my diagnosis change from HER2-negative mBC?



### **Currently diagnosed with HER2-negative mBC:**

Is it possible that I have HER2-low mBC?

---

To learn more about HER2-low mBC,  
visit [InfoOnLow.com](https://www.infolow.com)

---

## Important Safety Information (cont'd)

**Heart problems that may affect your heart's ability to pump blood.** Your healthcare provider will check your heart function before starting treatment with ENHERTU. Tell your healthcare provider right away if you get any of the following signs and symptoms:

- New or worsening shortness of breath
- Coughing
- Feeling tired
- Swelling of your ankles or legs
- Irregular heartbeat
- Sudden weight gain
- Dizziness or feeling light-headed
- Loss of consciousness

Please see additional Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including **Boxed WARNINGS**, and [click here for Medication Guide](#).

## Learning about ENHERTU



What is ENHERTU, and how is it different from other treatments I have received?



How is ENHERTU given?



How was ENHERTU studied?

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Learning about ENHERTU (cont'd)



How and when will I know if ENHERTU is working?



For how long will I continue treatment with ENHERTU?



What are some treatment goals I can set while I am on ENHERTU?

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Getting started with ENHERTU



When will I start treatment with ENHERTU?



Are there other treatments I will also need to take while I am on ENHERTU?



How often will I receive ENHERTU?



How long will each IV (intravenous) infusion take?

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Possible side effects with ENHERTU



What are the most common side effects that people experience with ENHERTU?



What are some other possible serious side effects of ENHERTU that I should immediately tell my healthcare provider about?



Which side effects will my healthcare provider check for before and/or during treatment with ENHERTU?

### Important Safety Information (cont'd)

**Before you receive ENHERTU, tell your healthcare provider about all of your medical conditions, including if you:**

- Have lung or breathing problems.
- Have kidney problems. Your healthcare provider may follow you more closely. In clinical trials, more serious lung problems were seen in patients with certain kidney problems.
- Have liver problems. Your healthcare provider may follow you more closely.
- Have signs or symptoms of an infection.
- Have or have had any heart problems.
- Are breastfeeding or plan to breastfeed. It is not known if ENHERTU passes into your breast milk. Do not breastfeed during treatment with ENHERTU and for 7 months after the last dose.

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Possible side effects with ENHERTU (cont'd)

Contact your healthcare provider right away if you experience any side effects or symptoms.

For fast reference, use the space below to fill out the contact information for your healthcare team.

Name(s): \_\_\_\_\_

Specialty: \_\_\_\_\_

Phone/Email: \_\_\_\_\_

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).



## Resources & support for patients and care partners



Where can I find information about financial assistance programs available for eligible patients who have already been prescribed ENHERTU and cannot afford the medicine?



Is there someone we can talk to for emotional support, or are there support groups we can join?



Are there resources to help us learn about other people with HER2-low mBC and their experiences?



Are there additional resources to help support us during treatment with ENHERTU? Where can we find them?

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Important Safety Information

### What is the most important information I should know about ENHERTU?

**ENHERTU can cause serious side effects, including:**

**Lung problems that may be severe, life-threatening or that may lead to death.** If you develop lung problems your healthcare provider may treat you with corticosteroid medicines. Tell your healthcare provider right away if you get any of the following signs and symptoms:

- Cough
- Trouble breathing or shortness of breath
- Fever
- Other new or worsening breathing symptoms (e.g., chest tightness, wheezing)

**Low white blood cell counts (neutropenia).** Low white blood cell counts are common with ENHERTU and can sometimes be severe. Your healthcare provider will check your white blood cell counts before starting ENHERTU and before starting each dose. Tell your healthcare provider right away if you develop any signs or symptoms of an infection or have fever or chills during treatment with ENHERTU.

**Heart problems that may affect your heart's ability to pump blood.** Your healthcare provider will check your heart function before starting treatment with ENHERTU. Tell your healthcare provider right away if you get any of the following signs and symptoms:

- New or worsening shortness of breath
- Coughing
- Feeling tired
- Swelling of your ankles or legs
- Irregular heartbeat
- Sudden weight gain
- Dizziness or feeling light-headed
- Loss of consciousness

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Important Safety Information (cont'd)

**Your healthcare provider will check you for these side effects during your treatment with ENHERTU. Your healthcare provider may reduce your dose, delay treatment or completely stop treatment with ENHERTU if you have severe side effects.**

**Harm to your unborn baby.** Tell your healthcare provider right away if you become pregnant or think you might be pregnant during treatment with ENHERTU.

- If you are able to become pregnant, your healthcare provider should do a pregnancy test before you start treatment with ENHERTU.
- **Females** who are able to become pregnant should use effective birth control (contraception) during treatment with ENHERTU and for 7 months after the last dose.
- **Males** who have female partners that are able to become pregnant should use effective birth control (contraception) during treatment with ENHERTU and for 4 months after the last dose.

**Before you receive ENHERTU, tell your healthcare provider about all of your medical conditions, including if you:**

- Have lung or breathing problems.
- Have signs or symptoms of an infection.
- Have or have had any heart problems.
- Are breastfeeding or plan to breastfeed. It is not known if ENHERTU passes into your breast milk. Do not breastfeed during treatment with ENHERTU and for 7 months after the last dose.

**Tell your healthcare provider about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Important Safety Information (cont'd)

### How will I receive ENHERTU?

- You will receive ENHERTU into your vein through an intravenous (IV) line by your healthcare provider.
- ENHERTU is given 1 time every three weeks (21-day treatment cycle).
- Your healthcare provider will decide how many treatments you need.
- Your healthcare provider will give you medicines before your infusion to help prevent nausea and vomiting.
- Your healthcare provider may slow down or temporarily stop your infusion of ENHERTU if you have an infusion-related reaction, or permanently stop ENHERTU if you have severe infusion reactions.
- If you miss a planned dose of ENHERTU, call your healthcare provider right away to schedule an appointment. Do not wait until the next planned treatment cycle.

### What are the possible side effects of ENHERTU? ENHERTU can cause serious side effects. See “What is the most important information I should know about ENHERTU?”

#### The most common side effects of ENHERTU when used at the 5.4 mg/kg dose include:

- Nausea
- Low white blood cell counts
- Low red blood cell counts
- Feeling tired
- Low platelet counts
- Increased liver function tests
- Vomiting
- Hair loss
- Constipation
- Muscle or bone pain
- Decreased appetite
- Low levels of blood potassium
- Diarrhea
- Cough

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

## Important Safety Information (cont'd)

ENHERTU may cause fertility problems in males, which may affect the ability to father children. Talk to your healthcare provider if you have concerns about fertility.

These are not all of the possible side effects of ENHERTU. Call your doctor for medical advice about side effects. You may report side effects to Daiichi Sankyo at 1-877-437-7763 or to FDA at 1-800-FDA-1088.

### What is ENHERTU?

ENHERTU is a prescription medicine used to treat adults who have:

- HER2-low breast cancer that cannot be removed by surgery or that has spread to other parts of your body (metastatic), and who have received a prior chemotherapy:
  - for metastatic disease, **or**
  - your disease has returned during or within 6 months of completing adjuvant chemotherapy (after surgery). Your healthcare provider will perform a test to make sure ENHERTU is right for you

It is not known if ENHERTU is safe and effective in children.

Please see Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).



For more information and additional resources, visit [ENHERTU.com/discover](https://www.enherthu.com/discover) or scan the QR code



Please see additional Important Safety Information on pages 10-13, and [click here for full Prescribing Information](#), including Boxed WARNINGS, and [click here for Medication Guide](#).

